

THE SUBMERSIBLE PUMP SPECIALISTS

-

MANUFACTURING | SALES | PROJECT DESIGN | INSTALLATION | MAINTENANCE AND REPAIRS

PUMP TECHNICAL

SERVICES LIMITED

FLUTBOX

RESIDENTIAL TECHNOLOGY



ochwasser

Flut

HEREITER HUMAN



LEAVING THE LAST FLOOD BEHIND MEANS FACING THE NEXT FLOOD!

Now it's time for the landlord to save whatever he can.

Administer "relaxed dewatering" (with the Flood Emergency Kit) to your customer. Powerful, durable and tackles the problem – the "Flutbox" helps people who are affected by flood water, to react quickly and efficiently. Just put the carrying cage with the pump on the ground and pump the water out of the building via the fire hose.

Even in dry seasons the "Flutbox" is a reliable assistant.The heart of this emergency kit is the powerful multifunctional submersible pump U5KS. Taken out of the carrying cage it can be used stationary or as a portable tool for several kinds of dewatering situations.

U5KS

- High performance motor (H max 8m, Q max 11,5 m³/h)
- Reliable pumping due to a large free solids passage of 20 mm
- A motor cooling jacket and a thermal motor protection enable continuous operation when the pump is not submerged
- A float switch fixation for pumping down to a minimum of residual water

FIRE HOSE

- Quick and easy attachment by a C coupling
- Sturdy, durable material
- Space-saving storage when hose is rolled up
- Prolongable with the standard C coupling

CARRYING GAGE

- Pump fixation stabilizes the pump while it is used within the cage
- Protection against silting
- Wall mounting for storing the "Flutbox"








BE PREPARED BEFORE THE DISASTER IS UPON YOU

JUNG PUMPEN FLUTBOX

THE TRIPLE BENEFIT



WITHOUT CARRYING GAGE

Naturally the U5KS can be used without the carrying cage. To do this detach the metal clip on the pump handle and remove the pump.

PUMPING TO EXTRA LOW LEVEL

The foot strainer of the pump can be removed. The pump can now pump down to a minimum of residual water.

FOR LAGER SOLIDS

If you want to make use of the pump's free solids passage of 20 mm, remove the foot strainer and push the extensions supplied onto the pedestals.



JUNG PUMPEN FLUTBOX

THE EMERGENCY KIT - FLUTBOX UNDERSTANDING WHAT IS REQUIRED

For over ninety years JUNG PUMPEN has been a reliable partner for sewage and wastewater disposal. The company produces high-quality pumps and pumping stations both for small-scale domestic house and land drainage and large-scale industrial and community wastewater treatment. JUNG PUMPEN has not only acquired an established market presence in the fields of residential technology, sewage treatment and pressure drainage, it has gone on to become one of the market leaders.

TREE STEPS TO A DRY BASEMENT:



• Step 1: Attach the hose



• Step 2: Switch on the pump



Step 3: Start pumping

